

JERSEY ENERGY PERFORMANCE CERTIFICATE


Apartment 601, Block 1, Westview, Wellington Hill, St Saviour, JE1 7XP

Dwelling type: Flat
Date of assessment: 12 Oct 2022
Type of assessment: new dwelling

Building Permit No.: B/2019/1080
Total floor area: 47.37 m²


This certificate has been produced for the purposes of demonstrating compliance with the Part 11 requirements of the Building Bye-laws (Jersey). It shows this home's performance in terms of the energy used per square metre of floor area, energy efficiency based on fuel costs and environmental impact based on carbon (CO₂).

Energy Cost Rating



The energy cost rating is a measure of the overall cost of energy used in the home. The higher the rating the lower the fuel bills are likely to be.

Environmental Impact (CO₂) Rating



The environmental impact rating is a measure of a home's impact on the environment in terms of carbon dioxide (CO₂) emissions. The higher the rating the less impact it has on the environment.

Estimated energy use, carbon dioxide (CO₂) emissions and fuel costs of this home

Energy use	70 kWh/m ² per year
CO ₂ emissions	0.24 tonnes per year
Lighting	£34 per year
Heating	£89 per year
Hot Water	£230 per year

Using the fuel costs shown below, and based on standardised assumptions about occupancy and heating patterns, the above table provides an indication of how much it will cost to provide lighting, heating and hot water to this home. This certificate has been produced for building bye-law purposes only and enables one home to be compared with another at the time of construction.

Fuels used in the dwelling and their prices

general domestic electricity	15.3 p/kWh
------------------------------	------------